




# GYP SYSTEM FRAME L TRUCK U TRUCK






## Uses of L Truck & U Truck in Drywall (Solid Pane)

**Uses of L Track in Drywall (Solid Panel):** L Track is used as a guide for the top and bottom edges of drywall panels, ensuring a secure and stable alignment during installation.


**Uses of U Track in Drywall (Solid Panel):** U Track serves as a framework to hold the vertical studs in place, providing structural support and creating a strong base for drywall panels.



## L TRUCK & U TRUCK

Suitable For Fibre Cement Panels

**FIBER CEMENT BOARD**



**18 mm**

**8ft x 4ft**

### Instant Drywall (Solid Panel) Partition Frames

#### L Track


(0.80mmx80mmx3050)

"L" Track made by 0.80mm thick galvanized steel sheet, 80mm width with two flange of 27mm and 10mm fixed on floor for 75mm solid panel partition

#### U Track

(0.80mmx80mmx3050mm)

"U" Track made by 0.80mm thick galvanized steel sheet, 80mm width with two equal flange of 27mm fixed on top of solid panel partition.



## Head Office

### GYP SYSTEM FRAME PVT.LTD

Stateman House, 402, Barakhamba Rd, New Delhi, 110001

New Delhi, INDIA. Contact No: +91 9810775149

## Branch Office



Delhi



Manglore



Gaya



Kolkata



Ranchi

